

PROCESS FOR THE RECOVERY OF SULFURIC ACID USING  
POLYMERIC MEMBRANES

Applicants: Bhupender S. Minhas et al.

Case No. PEP-0404




FIG. 1

PROCESS FOR THE RECOVERY OF SULFURIC ACID USING  
POLYMERIC MEMBRANES

Applicants: Bhupender S. Minhas et al.

Case No. PEP-0404






FIG. 2

PROCESS FOR THE RECOVERY OF SULFURIC ACID USING  
POLYMERIC MEMBRANES

Applicants: Bhupender S. Minhas et al.  
Case No. PEP-0404




**FIG. 3**



**FIG. 4**


PROCESS FOR THE RECOVERY OF SULFURIC ACID USING  
POLYMERIC MEMBRANES

Applicants: Bhupender S. Minhas et al.  
Case No. PEP-0404



**FIG. 5**


Spectrum: Membrane Support



**FIG. 6**

Absorbance / 0.2 Micron Gore-Tex Support Material Res=  
File # 1 = Overlay Y-Zoom

FTIR Spectrum: Unused/Used Membrane




**FIG. 7**


PROCESS FOR THE RECOVERY OF SULFURIC ACID USING  
POLYMERIC MEMBRANES

Applicants: Bhupender S. Minhas et al.

Case No. PEP-0404



**FIG. 8**




**FIG. 9**


PROCESS FOR THE RECOVERY OF SULFURIC ACID USING  
POLYMERIC MEMBRANES

Applicants: Bhupender S. Minhas et al.

Case No. PEP-0404



**FIG. 10**



**FIG. 11**